

Name All Nydree Flooring Products



Product ID All Flooring Products Classification 09 64 00.00 Finishes: Wood Flooring

Website www.nydreeflooring.com

Manufacturer Nydree Flooring, LLC Contact Name Jason Brubaker
Address 11675 Rainwater Drive Title VP, Sales & Marketing
Suite 400 Phone 404-409-7768
Alpharetta, GA 30009 Email jbrubaker@nydree.com

Description Nydree products are prefinished acrylic infused engineered wood floors designed for high traffic commercial interiors. Nydree Flooring is real hardwood that is over 300% more dent resistant than traditional wood flooring.

Release Date 2015-03-06 Expiry Date 2018-03-06 HPD URL http://cdn.nydreeflooring.com/80BE
Self-declared
Second Party
Third Party
Certifier
Certificate #

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure Full Disclosure of Intentional Ingredients Full Disclosure of Known Hazards Disclosure Notes
Measured 100 ppm (ideal)
Measured 1000 ppm
Predicted by process chemistry
As per MSDS (1,000 & 10,000 ppm)
Not disclosed
Other
Yes No
Yes No

Contents in Descending Order of Quantity

Norway Spruce , Wood Fiber - unspecified , STYRENE, METHYL METHACRYLATE, METHACRYLIC ACID, 2-ETHYLHEXYL ACRYLATE POLYMER , C.I. Solvent Black 27 , Amines, C12-18-alkyl, bis[2,4-dihydro-4-[(2-hydroxy- 5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol -3-onato(2-)]cobaltate(1-), METHYL METHACRYLATE , POLYETHYLENE GLYCOL , 2,2'-AZOBIS(2-METHYLBUTANENITRILE) , 2,2'-AZOBIS(2-METHYLPROPANENITRILE)

Hazards Highest concern GreenScreen score - List Translator Possible Benchmark 1
PBT (Persistent Bioaccumulative Toxic)
Cancer
Gene Mutation
Development
Reproductive
Endocrine
Respiratory
Neurotoxicity
Mammal
Skin or Eye
Aquatic toxicity
Land toxicity
Physical hazard
Global warming
Ozone depletion
Multiple
Unknown

Total VOC Content Material (g/L) Regulatory (g/L) N/A N/A
Does the product contain exempt VOCs? Are there VOC-free tints available?
N/A N/A
Yes No
Yes No

Notes

Certifications + Compliance

VOC Emissions FloorScore VOC Content N/A
Multi-attribute FloorScore Sustainable forestry Forest Stewardship Council (FSC) - Mixed Credit

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

| Name | CAS RN | % weight | GS | RC | Nano | Role |
|---|---|-----------------|------|----|------|--|
| Hazard A | Warning A | | | | | |
| Hazard B | Warning B | | | | | |
| Hazard C | Warning C | | | | | |
| Hazard D | Warning D | | | | | |
| Hazard E | Warning E | | | | | |
| Notes | | | | | | |
| Norway Spruce | | 65.57 - 72.23 % | | N | N | WISA-Spruce: Main raw material |
| None found | No warnings found on HPD Priority lists | | | | | |
| Wood Fiber - unspecified | | 14.9 - 19.5 % | | N | N | Wear Layer |
| None found | No warnings found on HPD Priority lists | | | | | |
| STYRENE, METHYL METHACRYLATE, METHACRYLIC ACID, 2-ETHYLHEXYL ACRYLATE POLYMER | 28377-44-8 | 4.7 - 10.2 % | | N | N | Gives Product Hardness |
| None found | No warnings found on HPD Priority lists | | | | | |
| C.I. Solvent Black 27 | 72812-35-2 | 0 - 0.17 % | | N | N | Solvent Black 27: Colorant |
| None found | No warnings found on HPD Priority lists | | | | | |
| Amines, C12-18-alkyl, bis[2,4-dihydro-4-[(2-hydroxy- 5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol -3-onato(2-)]cobaltate(1-) | 85203-44-7 | 0 - 0.17 % | LT-U | N | N | Keyfast Spirit Orange RLN (C.I. Solvent Orange 99): Colorant |

| | | | | | | |
|--|---|---|-------|--|--|---------------------|
| None found | No warnings found on HPD Priority lists | | | | | |
| METHYL METHACRYLATE | 80-62-6 | R | LT-U | | | Monomer |
| RESPIRATORY | AOEC: Asthmagen (ARs) - sensitizer-induced | | | | | |
| SKIN IRRITATION | EU R-Phrases: R38: Irritating to skin. (also in EU H-Statements) | | | | | |
| SKIN SENSITIZE | EU R-Phrases: R43: May cause sensitization by skin contact. (also in MAK) | | | | | |
| FLAMMABLE | EU H-Statements: H225 Highly flammable liquid and vapour. | | | | | |
| POLYETHYLENE GLYCOL | 25322-68-3 | R | LT-U | | | Additive - Reactive |
| None found | No warnings found on HPD Priority lists | | | | | |
| 2,2'-AZOBIS(2-METHYLBUTANENITRILE) | 13472-08-7 | R | LT-U | | | Catalyst |
| None found | No warnings found on HPD Priority lists | | | | | |
| 2,2'-AZOBIS(2-METHYLPROPANENITRILE) | 78-67-1 | R | LT-P1 | | | Catalyst |
| MAMMALIAN | EU R-Phrases: R22: Harmful if swallowed. | | | | | |
| ACUTE AQUATIC | EU R-Phrases: R52: Harmful to aquatic organisms. | | | | | |
| REACTIVE | EU H-Statements: H242 Heating may cause a fire | | | | | |
| MULTIPLE | VwVwS: Class 2 Hazard to Waters | | | | | |

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

| Type | Standard or Certification | | | Certifier or Laboratory |
|---------------|---|------------|-------------|---|
| | Certifying Party | Issue Date | Expiry Date | Certificate URL |
| | Applicable Facilities | | | |
| | Notes | | | |
| VOC Emissions | FloorScore | | | SCS Global Services for Resilient Floor Covering Institute (RFCI) |
| | 3rd party independent certification | 2014-09-01 | 2015-08-31 | https://google.healthymaterials.net/uploads/files/certifications/1128/1424287809.pdf |
| | 4608 Quehanna Highway, Karthaus, PA 16845 | | | |

| | | | | |
|----------------------|---|------------|------------|---|
| VOC Content | N/A | | | |
| Recycled Content | Not tested | | | |
| Multi-attribute | FloorScore | | | SCS Global Services for Resilient Floor Covering Institute (RFCI) |
| | 3rd party independent certification | 2014-09-01 | 2015-08-31 | https://google.healthymaterials.net/uploads/files/certifications/1128/1424287809.pdf |
| | 4608 Quehanna Highway, Karthaus, PA 16845 | | | |
| Sustainable forestry | Forest Stewardship Council (FSC) - Mixed Credit | | | SCS Global Services |
| | 3rd party independent certification | 2011-03-05 | 2016-03-06 | https://google.healthymaterials.net/uploads/files/certifications/1128/1424804871.pdf |
| | 4608 Quehanna Highway, Karthaus, PA 16845 | | | |

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products.

Note: This declaration is not intended to address hazards of the installation process.

| Required or Recommended Product | URL for Companion Health Product Declaration |
|--|--|
| Condition when required or recommended and/or other notes | |
| MRA1585 Urethane Flooring Adhesive (VOC 0.00 g/L) | |
| Warranty becomes VOID if flooring is not installed with MRA1585 adhesive and maintained according to our printed instructions. | |

NOTES